THE ADMIL - MY MOINTAIN DIMENSION CLIMING TREAMALL UDBIONED FOR RUNKERG / NCLIME 0 - 500 / STODIE CONTROL - MARKING VECTOR CONTROL MALE DIALITIES - 500 / MODIE CONTROL - MARKING VECTOR CONTROL - 501 / 2000 Image: Storage - 500 / 2000 / 2000 Image: Storage - 500 / 2000 / 2000 / 2		155							
					Link Road,				
					(Maat)				
		•			(VVest),				
		Factory: Jerai Compound, Unit No. 3A, 05 & C	o, Survey No.219, Village - Ghonsal,	Taluka - Wada, Dist	nct - Paignar - 42 i	312, Manarashtra.			
$ \begin{array}{ c c c c c } \hline \\ \hline $		OUOTATION	OF GYM EQUIPMENT FOR 5	000 SOFT - OPT	ION II				
NN-NUMBER Distribution Distribution <th>KIND AT</th> <th>TN : QUOTATION NO.:</th> <th></th> <th>BS - 001/21-22</th> <th></th> <th></th> <th></th> <th>DATE:</th> <th>11.04.2022</th>	KIND AT	TN : QUOTATION NO.:		BS - 001/21-22				DATE:	11.04.2022
NN-NUMBER Distribution Distribution <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>									
NN-NUMBER Distribution Distribution <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
NN-NUMBER Distribution Distribution <td>CETINA</td> <td>0.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	CETINA	0.							
NO. DESCRIPTION PTACT DEEX PTACT PROF. PROF. PTACT 1A1 HANNONCACHING NETHING. CO. CO. </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
NO. DESCRIPTION PTACT DEEX PTACT PROF. PROF. PTACT 1A1 HANNONCACHING NETHING. CO. CO. </th <th></th> <th></th> <th></th> <th>1</th> <th></th> <th>EV. EACTORY</th> <th>1</th> <th></th> <th>EV ELCTODY</th>				1		EV. EACTORY	1		EV ELCTODY
THEADMIL: URAN 1.5" MILLIONING: MEDIA THE ADMIL: MEDIA THE ADMIL:	NO.	DESCRIPTION	PICTURES	RETAIL PRICE	DISCOUNT		QTY.	PER	
THEADMIL: URAN 1.5" MILLIONING: MEDIA THE ADMIL: MEDIA THE ADMIL:	[A]	REING STRONG - CARDIO SERIES:							
Image: Set of CAMPA FUNCTION OF THE SET OF CAMPA FUNCTION OF		BEING STRONG - CARDIO SERIES.							
Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODE RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODE RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODE RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODE RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER RELIANCE Image: Product AL MODER CONTROL MODEL RELIANCE Image: Product AL MODER RELIANCE									
Bit ADDITION ENDINE E		5HP PEAK/ AC MOTOR CONTROL: MAGNETIC VECTOR CONTROL / ROLLER							
Instrume	1								
Heat Process International Heat Party Folds: Image: Constraint AUTO State Party Folds: Image: Constraint AUTO Fold: Cons									
1 DIMENSION 2103 A 2013 A 504 MA LAWAID MAX. UBBR WEIGHT: INKG 5.1500000 1.1400000 4.1500000 5 NNS 20/250000 THERADRILL - MY MOUTRAIN ONDERVED CLIMENTS MAX. UBBR WEIGHT: INKG Image: Climents of the state of th		PRESET PROGRAM / HEART RATE: POLAR COMPATIBLE SMART HEART RATE	Harmon Real Providence						
1 CLUBIENT FIRE - DRAX - THESONE	1			5,19,000.00	1,04,000.00	4,15,000.00	5	NOS.	20,75,000.00
1 CLUBIENT FIRE - DRAX - THESONE			0						
SPEC. 03 - 8 KMF (20070 RUTY), AC 310 PEAK (TREAMILE UNTY) AC MOTION CONTROL MANCH CENTER CONTROL (ALMARIAN STATUS) Alman Status			60						
RENNING SPACE: 1073 S10 ML LAW, DBFAAY 3 COLOR DOT MATEXY. Sector State <		SPEED: 0.3 ~ 8 KM/H / MOTOR DUTY: AC 2HP PEAK (TREADMILL DUTY) / AC	P						
CONSIGNE DISFA-3: SPED, INCLINE, THE, DETAINEL, CALORE, ILBART PATE/ EXERCISE PRED, MOGAMI, J DEPARTMENDOR, 128 X 109 X 165 MM X <thx< th=""> X X <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<></thx<>									
2 LLWAID/ MAX. USER WEIGHT: 19KG 3.000000 72,000.00 2.85,000.00 1 2.85,000.00 8 LLPTICAL. CROSS TRAINER - DRAX - DE6 25.55,000.00 2.85,000.00 2.85,000.00 3 NOS 6.12,000.00 3 WEIGHT: 19KG 2.55,000.00 51,000.00 2.04,000.00 3 NOS 6.12,000.00 3 WEIGHT: 19KG 2.55,000.00 51,000.00 2.04,000.00 3 NOS 6.12,000.00 3 WEIGHT: 19KG 2.55,000.00 51,000.00 2.04,000.00 3 NOS 6.12,000.00 4 IDEXTRACT: FLAX - THE STREAM CRUTHER ATTER FLAX CALORER THERAL TATE, TATE, TALK CALORER THERAL TATE, TALK CALORER THE TAKE, TALK TATE, TALK CALORER THERAL TATE, TALK		CONSOLE DISPLAY: SPEED, INCLINE, TIME, DISTANCE, CALORIE, HEART RATE /							
B EXERCISE LEVEL, DRIVE SYSTEM. HYBRID GENERATOR SYSTEM. STRUER, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLOR RATE, ALL DIPLATER RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLORES IN JULY AND SOURCE DIPLAY. THE LED STATURE, CALORER HART RATE, ALLORER, INFORMATION SYSTEM, JULY AND SOURCE DIPLAY. THE STATURE AND SOURCE DIPLAY. THE DIPLATE STATULE SMART IREART RATE, ALLORER, IREAT R	2			3,60,000.00	72,000.00	2,88,000.00	1		2,88,000.00
B EXERCISE LEVEL, DRIVE SYSTEM. HYBRID GENERATOR SYSTEM. STRUER, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLOR RATE, ALL DIPLATER RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLORES IN JULY AND SOURCE DIPLAY. THE LED STATURE, CALORER HART RATE, ALLORER, INFORMATION SYSTEM, JULY AND SOURCE DIPLAY. THE STATURE AND SOURCE DIPLAY. THE DIPLATE STATULE SMART IREART RATE, ALLORER, IREAT R									
B EXERCISE LEVEL, DRIVE SYSTEM. HYBRID GENERATOR SYSTEM. STRUER, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, FOLAR COMPATIBLE SMART IREART RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLOR RATE, ALL DIPLATER RATE, AND SOURCE DIPLAY. THE LED STATURE, CALORE, IREAT RATE, ALLORES IN JULY AND SOURCE DIPLAY. THE LED STATURE, CALORER HART RATE, ALLORER, INFORMATION SYSTEM, JULY AND SOURCE DIPLAY. THE STATURE AND SOURCE DIPLAY. THE DIPLATE STATULE SMART IREART RATE, ALLORER, IREAT R									
LENTH: 510 MM / DBFLAY: DOT MATRIX / CONSOLE DBFLAY: TME: DBTANCE: 255,0000 3 NO. 6,120000 3 WRGHT: HART RATE: FLORA COMPATURE LAWR THEART RATE: 255,0000 51,000.00 3 NOS. 6,120000 3 WRGHT: HORQ 255,0000 51,000.00 3 NOS. 6,120000 4 RECUMIENT HIKE - DRAX - TBR900 255,0000 1 20,0000 1 16,7000.00 1 16,7000.00 4 DIMENSION: 100X SYSTEM: HYBRID GENERATOR SYSTEM / DSR AY: 125 UNRCENE LIVEL. / DRAY: SYSTEM: HYBRID GENERATOR SYSTEM / DSR AY: 20,00000 20,00000 16,7000.00 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
A AVALYSIS ALCORNTIM / DMENSION: 2120 X 610 X 1730 MM (LaWaH) / MAX. USER 2,5500,00 51,000,00 2,04,000,00 3 NOS. 6,12,000,00 3 WEIGHT: 180KG 2,0500,00 51,000,00 2,04,000,00 3 NOS. 6,12,000,00 4 RECOMMENT RIKE - DEAX - TRE9000 25 SECONDUC DISPLAY: TIME, DISTANCE / CALORIE, HEART RATE // HEART RATE FOLAR COMPATIBLE SMART HEART RATE ATE ALVALYS ALGORITHM/ HEART ATE: FOLAR COMPATIBLE SMART HEART RATE ATE ALVALYS ALGORITHM/ HEART ATE: FOLAR COMPATIBLE SMART HEART RATE ATE ALVALYSIS ALGORITHM/ PDIESKEWE LIVEL./ DEVX SYSTEM: LIVER OF COMPATIBLE SMART HEART RATE ATE ALVALYSIS ALGORITHM/ DISTANCE / CALORIES SYSTEM: LIVER OF COMPATIBLE SMART HEART RATE ALVALYSIS ALGORITHM/ DISTANCE // DISTANCE / CALORIES / FROGRAM & SETTING DISTANCE / SON X 132 X 600 X 1512 M (LaWH) / MAX USER WEIGHT: 150KG 1,0500,00 1,000,00 1,000,00 2 NOS. 3,12200,00 5 DIRENSION: 1132 X 69 X 1521 M (LaWH) / MAX USER WEIGHT: 150KG 1,000,00 1,000,00 1,000,00 2 NOS. 3,12200,00 6 LUVY. 104 KER SETTING / DISTANCE / CALORIES / FROGRAM & SETTING DISFLAY : FUNCTORE HEART ATTE, DISTANCE / CALORIES / FROGRAM & SETTING DISFLAY : FUNCTORE HAR / TARGE / TARGE / STROKE / ROWAR / MAX USER WEIGHT: 150KG 1,40000,0 2,0000,0 1,12,000,00 2 NOS. 2,224,000,00 6 LIVY. 104 KER SETTING / DISTANCE / CALORIES / FROGRAM & SETTING / DISFLA		LENGTH: 510 MM / DISPLAY: DOT MATRIX / CONSOLE DISPLAY: TIME, DISTANCE,							
3 WEIGHT: 180KG 25500.00 51,000.00 2,04,000.00 3 NOS. 6,12,000.00 a RECUMBENT BIKE: DRAY: TREPOND 25500.00 1,000.00 2,000.00 1 1,000.00 3 NOS. 6,12,000.00 25 EXERCISE LIFUEL DIMENSION: 1057 X500 X 1396 MM (JaWR) (MAX: USER WEIGHT: 150KG 2,000.00 42,000.00 1,07,000.00 1 1,67,000.00 4 DIMENSION: 1057 X 500 X 1396 MM (JaWR) (MAX: USER WEIGHT: 150KG 2,000.00 42,000.00 1,67,000.00 1 1,67,000.00 5 EXERCISE LIFUEL (DRIVE SYSTEM HYRID GENERATOR SYSTEM / DEPLAY: 100 MAX: USER WEIGHT: 150KG 2,000.00 1,07,000.00 1 1,67,000.00 5 EXERCISE LIFUEL (DRIVE SYSTEM HYRID GENERATOR SYSTEM / DEPLAY: 100 MIXENDAL CALORIE, HEART RATE / INPART ACT CALORIE, HEART RATE / INPART ACT CALORIE, MEART RATE / INPART ACT CALORIE, MEART RATE / INPART ACT CALORIES (CALORIE MARK) MAXUAL MODE / INPART ACT CALORIES / PROGRAM & SETTING / DISTANCE / CALORIE MEART RATE / INPART ACT CALORIES / PROGRAM & SETTING / DISTANCE / CALORIES / PROGRAM									
25 EXERCISE LUPL/ DRIVE SYSTEM HYBRID GENERATOR SYSTEM / DSPLAY: Image: Constraints of the constrain	3			2,55,000.00	51,000.00	2,04,000.00	3	NOS.	6,12,000.00
25 EXERCISE LUPL/ DRIVE SYSTEM HYBRID GENERATOR SYSTEM / DSPLAY: Image: Constraints of the constrain			1 mil						
25 EXERCISE LUPL/ DRIVE SYSTEM HYBRID GENERATOR SYSTEM / DSPLAY: Image: Constraints of the constrain									
25 EXERCISE LUPL/ DRIVE SYSTEM HYBRID GENERATOR SYSTEM / DSPLAY: Image: Constraints of the constrain		RECUMBENT RIKE - DRAX - TRR0000	ie so						
HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALCORTINI/ Comparison Comparison <thcomparison< th=""> Comparison <thcomparison< th=""> Comparison <thcomparison<< td=""><td></td><td>25 EXERCISE LEVEL / DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thcomparison<<></thcomparison<></thcomparison<>		25 EXERCISE LEVEL / DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY:							
Image: Colspan="2">Construction of the construction of the constructin of the construction of the construction of the const									
25 EXERCISE LEVEL/DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY: MATRIX / CONSOLE DISPLAY: TIME, DISTANCE, CALORIES / REART RATE / DISPLAY: HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM/ DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG 1.95,000.00 39,000.00 1,56,000.00 2 NOS. 3,12,000.00 5 DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG Image: Constraint of the c	4	DIMENSION: 1695 X 590 X 1396 MM (LxWxH) / MAX. USER WEIGHT: 150KG		2,09,000.00	42,000.00	1,67,000.00	1		1,67,000.00
25 EXERCISE LEVEL/DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY: MATRIX / CONSOLE DISPLAY: TIME, DISTANCE, CALORIES / REART RATE / DISPLAY: HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM/ DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG 1.95,000.00 39,000.00 1,56,000.00 2 NOS. 3,12,000.00 5 DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG Image: Constraint of the c	1								
25 EXERCISE LEVEL/DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY: MATRIX / CONSOLE DISPLAY: TIME, DISTANCE, CALORIES / REART RATE / DISPLAY: HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM/ DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG 1.95,000.00 39,000.00 1,56,000.00 2 NOS. 3,12,000.00 5 DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG Image: Constraint of the c	1		F -						
25 EXERCISE LEVEL/DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY: MATRIX / CONSOLE DISPLAY: TIME, DISTANCE, CALORIES / REART RATE / DISPLAY: HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM/ DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG 1.95,000.00 39,000.00 1,56,000.00 2 NOS. 3,12,000.00 5 DIMENSION: 1132 X 639 X 1521 MM (L3WxH) / MAX. USER WEIGHT: 150KG Image: Constraint of the c	1	UPRIGHT BIKE - DRAX - TBU9000	I I						
HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM/ Image: comparison of the state of th	1	25 EXERCISE LEVEL / DRIVE SYSTEM: HYBRID GENERATOR SYSTEM / DISPLAY:	1 C						
AIR ROWER DISPLAY: EXERCISE DATA / TIME / DISTANCE / CALORIES / PROGRAM & SETTING AVERAGE / STROKE RATE / 10 QUICK BUTTON PROGRAMS / MANUAL MODE / TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (/// USER WEIGHT - 150 KGS. / OVERALL DIMENSION (//// USER WEIGHT - 150 KGS. / OVERALL DIMENSION (//// USER WEIGHT - 150 KGS. / OVERALL DIMENSION (//// USER WEIGHT - 150 KGS. / OVERALL DIMENSION (//// USER WEIGHT - 150 KGS. / OVERALL DIMENSION (//// DOWN) 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (/// O// X 48"		HEART RATE: POLAR COMPATIBLE SMART HEART RATE ANALYSIS ALGORITHM /		1.05.000.00	20.000.00	1 55 000 00	2	Nor	2 12 000 00
DISPLAY: EXERCISE DATA / TIME / DISTANCE / CALORIES / PROGRAM & SETTING DISPLAY: SPM / AGE SETTING / TARGET HR / WATT & AVERAGE / SPEED & AVERAGE / STROKE RATE / 10 QUICK BUTTON PROGRAMS / MANUAL MODE / TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	5	diviension: 1152 a 059 a 1521 MM (LXWXH) / MAX, USER WEIGHT: 150KG		1,95,000.00	39,000.00	1,56,000.00	2	NOS.	3,12,000.00
DISPLAY: EXERCISE DATA / TIME / DISTANCE / CALORIES / PROGRAM & SETTING DISPLAY: SPM / AGE SETTING / TARGET HR / WATT & AVERAGE / SPEED & AVERAGE / STROKE RATE / 10 QUICK BUTTON PROGRAMS / MANUAL MODE / TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1		L						
DISPLAY: EXERCISE DATA / TIME / DISTANCE / CALORIES / PROGRAM & SETTING DISPLAY: SPM / AGE SETTING / TARGET HR / WATT & AVERAGE / SPEED & AVERAGE / STROKE RATE / 10 QUICK BUTTON PROGRAMS / MANUAL MODE / TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1	A ID DOWED							
AVERAGE / STROKE RATE / 10 QUICK BUTTON PROGRAMS / MANUAL MODE / TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00 AIR BIKE DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / SPEED & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTERVISE CUSTOM / AGE SETTING / 10 QUICK BUTTON 7 I,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1	DISPLAY : EXERCISE DATA / TIME / DISTANCE / CALORIES / PROGRAM & SETTING							
TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00 6 (L/W) - 106" X 24" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00 AIR BIKE DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN Image: Colspan="4">Image: Calories / TIME / DISTANCE / RPM / WATTS & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60" X 48" I,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1		N H						
AIR BIKE DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / SPEED & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTERVISE CUSTOM / AGE SETTING / 10 QUICK BUITTON 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60" X 48"	6	TRAINING MODE / RACE MODE / USER WEIGHT - 150 KGS. / OVERALL DIMENSION		1 40 000 00	28,000,00	1 12 000 00	2	NOS	2 24 000 00
DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / SPEED & AVERAGE / INTERVIAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTERVISE CUSTOM / AGE SETTING / 10 QUICK BUITTON 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60° X 48" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00		The concept of the second s	ĸ	1,40,000.00	20,000.00	1,12,000.00		1100.	2,24,000.00
DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / SPEED & AVERAGE / INTERVIAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTERVISE CUSTOM / AGE SETTING / 10 QUICK BUITTON 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60° X 48" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1								
DISPLAY : TARGET HR / TARGET CALORIES / TIME / DISTANCE / RPM / WATTS & AVERAGE / SPEED & AVERAGE / INTERVIAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTERVISE CUSTOM / AGE SETTING / 10 QUICK BUITTON 7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60° X 48" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00			₹						
AVERAGE / SPEED & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN / ENTER MODE / INTENSIVE CUSTOM / AGE SETTING / 10 QUICK BUTTON PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60" X 48" 1,40,000.00 28,000.00 1,12,000.00 2 NOS.	1								
7 PROGRAMS / USER WEIGHT - 150 KGS. / OVERALL DIMENSION (L/W) - 60" X 48" 1,40,000.00 28,000.00 1,12,000.00 2 NOS. 2,24,000.00	1	AVERAGE / SPEED & AVERAGE / INTERVAL TRAINING / START / STOP / UP / DOWN							
	7			1,40,000.00	28,000.00	1,12,000.00	2	NOS.	2,24,000.00
									39,02,000.00

NEWS STRONG: CLEREAN FLISS STRES: Image: Clear and the stress stres	[B]	BEING STRONG - MULTI JUNGLE & JX - FIT SERIES :							
HENK STRING - CLUB LEVE FLUS SADIES: Image: Club Club Club Club Club Club Club Club	8	(Which Includes: 4 Functional Training Station, DAP, Half Rack, Boxing Bag Space, Boxing Bag Connector, Dip Attachment, Step - Up Attachment, T - Bar Attachment, Rebounder Space, Rebounder Connector, Rebounder, Battle Rope Connector, Battle Rope, Suspension Chin Bar With Trx Attachment, Rock Grip Chin Bar, Monkey Connector, Kettle Bell Rack, Medicine Ball Rack, Bar Catches Connector, Strap		6,81,000.00	25,000.00	6,56,000.00	1		6,56,000.00
ID VERTICAL CREST PRESS [JPC 102] I.34,000.00 I.600.00 I.600.00 I 10 VERTICAL CREST PRESS [JPC 102] I.34,000.00 I.600.00 I I 11 LAT POLL DOWN - DUAL PULLEY [JPB 201-8] I.35,000.00 I.600.00 I.600.00 I 12 ASSISTED DIP CHIN [JPB 201] I.34,000.00 I.600.00 I.600.00 I 12 ASSISTED DIP CHIN [JPB 201] I.44,000.00 I.600.00 I I 13 LONG PILL ROW - SINGLE PILLEY [JPB 201-A] I.72,000.00 I.55,000.00 I 14 OVERHEAD PRESS [JPS 301] I.72,000.00 I.55,000.00 I									
ID VERTICAL CREST PRESS [JPC 102] I.34,000.00 I.600.00 I.600.00 I 10 VERTICAL CREST PRESS [JPC 102] I.34,000.00 I.600.00 I I 11 LAT POLL DOWN - DUAL PULLEY [JPB 201-8] I.35,000.00 I.600.00 I.600.00 I 12 ASSISTED DIP CHIN [JPB 201] I.34,000.00 I.600.00 I.600.00 I 12 ASSISTED DIP CHIN [JPB 201] I.44,000.00 I.600.00 I I 13 LONG PILL ROW - SINGLE PILLEY [JPB 201-A] I.72,000.00 I.55,000.00 I 14 OVERHEAD PRESS [JPS 301] I.72,000.00 I.55,000.00 I	0			1 72 000 00	17.000.00	1 55 000 00			1,55,000.00
II LAT FULL DOWN - DUAL FULLEY [JPB 201-B] III 12 ASSISTED DIP CHIN [JPB 201-B] IIII 12 ASSISTED DIP CHIN [JPB 203] IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	,		90	1,72,000.00	17,000.00	1,55,000.00	1		1,55,000.00
12 ASSISTED DIP CHIN (JPB 203) Image: Constraint of the con	10	VERTICAL CHEST PRESS [JPC 102]		1,84,000.00	18,000.00	1,66,000.00	1		1,66,000.00
12 ASSISTED DIP CHIN [JPB 203] Image: Constraint of the con			44						
13 LONG PULL ROW - SINGLE PULLEY (JPB 204-A) Image: Constraint of the second seco	11	LAT PULL DOWN - DUAL PULLEY [JPB 201-B]		1,59,000.00	16,000.00	1,43,000.00	1		1,43,000.00
I4 OVERHEAD PRESS [JPS 301] Image: Transmission of tr	12	ASSISTED DIP CHIN [JPB 203]		1,84,000.00	18,000.00	1,66,000.00	1		1,66,000.00
I4 OVERHEAD PRESS [JPS 301] Image: Transmission of tr									
	13	LONG PULL ROW - SINGLE PULLEY [JPB 204-A]	-1	1,72,000.00	17,000.00	1,55,000.00	1		1,55,000.00
15 LATERAL RAISE [JPS 302] Image: Constant of the second sec	14	OVERHEAD PRESS [JPS 301]		1,72,000.00	17,000.00	1,55,000.00	1		1,55,000.00
15 LATERAL RAISE [JPS 302] 1,59,000.00 1,6,000.00 1,43,000.00 1									
	15	LATERAL RAISE [JPS 302]		1,59,000.00	16,000.00	1,43,000.00	1		1,43,000.00
16 BICEP CURL [JPBT 401] 1,59,00.00 16,000.00 1,43,000.00 1	16	BICEP CURL [JPBT 401]		1.59.000.00	16,000.00	1.43,000.00	1		1,43,000.00
	2					, , , , , , , , , , , , , , , , , , , ,			
				1,72,000.00	17,000.00	1,55,000.00	1	1	1,55,000.00

		•					
18	LEG EXTENSION [JPL 501]	SIR	1,80,000.00	17,000.00	1,63,000.00	1	1,63,000.00
10			1,00,000.00	17,000.00	1,05,000.00	1	1,03,000.00
19	PRONE LEG CURL [JPL 503]		1,80,000.00	17,000.00	1,63,000.00	1	1,63,000.00
20	ADDUCTOR / ABDUCTOR COMBO. [JPL 506]		2,18,000.00	22,000.00	1,96,000.00	1	1,96,000.00
21	STANDING CALF [JPL 508]		1,84,000.00	18,000.00	1,66,000.00	1	1,66,000.00
22	MULTI FUNCTIONAL STATION [JPMP 702] BEING STRONG - CLUB LINE SERIES :	2 1	2,46,000.00	25,000.00	2,21,000.00	1	2,21,000.00
	WRIST CURL [JBT 403]		60,000.00	6,000.00	54,000.00	1	54,000.00
	BEING STRONG - LOAD ON SERIES :	题					
24	DUAL AXIS FLAT BENCH [JPL 104]		1,20,000.00	12,000.00	1,08,000.00	1	1,08,000.00
		ALC:					
25	DUAL AXIS DECLINE BENCH [JPL 105]		1,20,000.00	12,000.00	1,08,000.00	1	1,08,000.00
		the second secon					
26	DUAL AXIS INCLINE BENCH [JPL 106]		1,20,000.00	12,000.00	1,08,000.00	1	1,08,000.00
27	REVERSE FRONT LAT PULL DOWN [JPL 111]	A.J.	1,45,000.00	14,000.00	1,31,000.00	1	1,31,000.00

		And and						
28	ISOLATERAL ROW [JPL 141]		1,45,000.00	14,000.00	1,31,000.00	1		1,31,000.00
20		-		14,000.00	1,51,000.00			1,21,000,00
29	INCLINE T - BAR [JPL 116]	Optional	71,000.00	7,000.00	64,000.00	1		64,000.00
30	45° LEG PRESS [JPL 129]		1,56,000.00	16,000.00	1,40,000.00	1		1,40,000.00
31	POWER SQUAT [JPL 133]	-	1,56,000.00	16,000.00	1,40,000.00	1		1,40,000.00
32	SEATED CALF [JPL 134]		59,000.00	6,000.00	53,000.00	1		53,000.00
	SMITH MACHINE - COUNTER BALANCED [JPL 137]		1,56,000.00	16,000.00	1,40,000.00	1		1,40,000.00
	BEING STRONG - BENCHES & RACKS SERIES :	1 - F-						
34	HALF RACK [JBR 106]		1,42,000.00	14,000.00	1,28,000.00	1		1,28,000.00
		X						
35	SUPER BENCH [JBR 110]		46,000.00	5,000.00	41,000.00	3	NOS.	1,23,000.00
24		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	70.000.00	7 000 00	62 000 00	2	NOS	1 26 000 00
36	DELUXE SUPER BENCH [JBR 111]		70,000.00	7,000.00	63,000.00	2	NOS.	1,26,000.00
		A						
37	UTILITY BENCH [JBR 112]	-	34,000.00	3,000.00	31,000.00	1	I	31,000.00

							T	
		1						
38	WORK BENCH [JBR 113]	ET I	34,000.00	3,000.00	31,000.00	1		31,000.00
		T						
39	BACK EXTENSION [JBR 115]		58,000.00	6,000.00	52,000.00	1		52,000.00
33	DACK EATENSION (DK 115)		58,000.00	0,000.00	52,000.00	1		52,000.00
		2 Ch						
40	PREACHER CURL BENCH [JBR 117]		49,000.00	5,000.00	44,000.00	1		44,000.00
		λ						
		Ch-b						
41	VERTICAL KNEE UP [JBR 118]	N.	58,000.00	6,000.00	52,000.00	1		52,000.00
42	BEAUTYBELL RACK [JBR 129-A] FIXED BARBELL - RUBBERIZED (10X2 / 15X2 / 20X2 / 25X2 / 30X2) - 200 KGS.		1,74,000.00	17,000.00	1,57,000.00	1	SET	1,57,000.00
		**** **** ****						
	SOLID RUBBERIZED DUMBBELLS [JDSK] (2.5X4 / 5X4 / 7.5X4 / 10X4 / 12.5X4 / 15X4 /	+ * * * * *						
	17.5X2 / 20X2 / 25X2 / 30X2 / 35X2 / 40X2 / 45X2 / 50X2)		340.00	34.00	306.00	735	KGS.	2,24,910.00
		A						
		A						
44			46,000.00	5,000.00	41,000.00	2	NOS.	82,000.00
44	DUMBBELL RACK TWIN TIER [JBR 122]		48,000.00	3,000.00	41,000.00	2	N03.	82,000.00
		5						
		15 KG						
45	RUBBERISED PLATES [JPRK] (2.5X12 / 5X12 / 10X12 / 15X10 / 20X12)		300.00	30.00	270.00	600	KGS.	1,62,000.00
		- Control of the second se						
		A						
46	VERTICAL PLATE TREE [JBR 121]		34,000.00	3,000.00	31,000.00	1		31,000.00
		X						
47	OLYMPIC BARS [JOB] (7'X4 / 5'X1 / 4'X1)		2,350.00	235.00	2,115.00	37	FEET	78,255.00
		×						
		\sim						
48	OLYMPIC EZ BARS [JEZB] (4'X1)		2,750.00	275.00	2,475.00	4	FEET	9,900.00

		and another						
49	BARBELL RACK [JBR 127]	•	34,000.00	3,000.00	31,000.00	1		31,000.00
	TOTAL: [B]		60,44,850.00	5,58,785.00				54,86,065.00
			, ,					
NOTE: ALL THE DUMBBELLS & WEIGHT PLATES MIGHT HAVE THE TOLERANCE LEVEL (+/-) OF 5% TO 7%.								
	NOTE: EX - WORKS FACTORY TRANSPORTATION &	UNLOADING OF THE EQUIPM	ENT WOULD BI	E ARRANGED A	ND BORNE BY 1	THE CLIENT	AT SITE.	
	NET TOTAL (A+B):		1,09,23,850.00	15,35,785.00				93,88,065.00
	GST :18%							16,89,851.70
	ROUNDING OFF:							0.30
	GROSS TOTAL:							1,10,77,917.00
Validity:	7 Days			Account Details:				
Delivery:	: 45 working days from the date of order.				Jerai Fitness Pvt. I	.td.,		
Payment Terms: A) 50% Advance along with the purchase order. B) Balance 50% against Proforma Invoice,				Name of The Bank: HDFC Bank,				
Mode of Payment: Pay Order / Demand Draft / Cheque / NEFT / RTGS.				Branch: I C Colon	y, Borivali (West),	Mumbai.		
Restocking Charges: 1% of the Invoice Value per day.				OD Account No:	50200013515	5980,		
Cancellat	tion of Order: No cancellation after issue of Advance & Purchase Order.			IFSC- Code (RTC	S / NEFT): HDFC	0000 410		
							FOR JERAI	FITNESS PVT. LTD.

AUTHORIZED SIGNATORY

	PRODUCT WARRANTY	
Jer	rai Fitness Pvt. Ltd. Warrants its Commercial Product li	ne to the Original Purchaser only, against any Defects in Material and Workmanship.
CARDIO SERIES :		
FIVE YEARS WARRANTY	:	Frame & Motor of Treadmill.
TWO YEARS WARRANTY	:	Display PCB & Suspension of Treadmill.
ONE YEAR WARRANTY	:	Running Belt, Incline Motor, Deck, Timing Belt, Inverter & Rubber Parts of Treadmill.
ONE YEAR WARRANTY	:	
		Elliptical Cross Trainer, Recumbent Bike, Upright Bike, Spinning Bike, Air Bike & Air Rower.
WARRANTY	:	1 Year Labour warranty (Consumables, Rubber & Plastic Parts not covered)
STRENGTH SERIES :		
TEN YEARS WARRANTY	:	Structural Frame, Guide Rods And Weight Stacks.
FIVE YEARS WARRANTY	:	Bushings, Bearing & Pulleys.
SIX-MONTH WARRANTY	:	Cables & Upholsetry.
WARRANTY	:	1 Year Labour warranty (Consumables, Rubber & Plastic Parts not covered)
NOTE: Warranties applicable only under normal gym co	onditions and under expert supervisions.	
	TERMS AND CONDITION	
VALIDITY		7 Days
DELIVERY	:	45 working days from the date of order, dual color/ customize color will require more 2 weeks.
TERMS OF PAYMENT		50% Advance along with the purchase order.
	·	Balance 50% against Proforma Invoice, 2 weeks prior to delivery.
		The production process will begin from the date of 50% advance received.
MODE OF PAYMENT	:	Pay Order / Demand Draft / Cheque / NEFT / RTGS. Please note that wedo not accept payment in Cash. Any amount
		deposited in Cash by you directly in our Bank Accounts in violation of Section 269 ST of Income Tax Act, which will attract Penalty action under Section 271DA against the Receiver (Jerai Fitness Pvt. Ltd.) for such amount, which is
		subject to levy of Penalty of 100% of such amount received. Therefore, any cash deposited by you in our below
		mentioned bank account directly will be forfeited.
ACCOUNT DETAILS	:	Beneficiary name : Jerai Fitness Pvt. Ltd.
		Name of the Bank: HDFC Bank, Branch: I C Colony,
		Borivali (West), Mumbai, Maharashtra.
		OD Account No: 5 0 2 0 0 0 1 3 5 1 5 9 8 0,
		IFSC- Code (RTGS / NEFT): HDFC 0000 410
CANCELLATION OF ORDER	:	No cancellation after issue of Advance & Purchase Order.
RESTOCKING CHARGES		1% of the Invoice Value per day.
GST IN MAHARASHTRA		At present 18% (CGST - 9% and SGST - 9%)
GST OUT OF MAHARASHTRA		At present 18% (IGST)

It is mandatory for seller to mention GST No. of buyer in tax invoice to enable buyer to avail input credit of GST paid. Therefore, it is in your interest to provide your GST No. before tax invoice is generated. The rates are given as per present rules. Taxes will be levied as per rules in effect on the date of delivery.

Notify us immediately in the event of the mathematical or typing error found in the Quotation or Proforma Invoice

Highly recommended: Always fix the machines to the ground with anchor fasteners.

After expiration of the warranty period as stated above, we shall no longer accept warranty claims and all obligations for warranty shall terminate.

NOTE: It is agreed that the Delivery of the ordered equipment shall be delivered as per the issued Purchase Order. It may change in case of Public holidays / Weekly off.

If Buyers fails to take the delivery in the stipulated period as per the Purchase order / Proforma Invoice/ Ouotation / Terms, then the Delivery of equipment would be further delayed by 60 Days,

If the Equipment is not installed at the time of Delivery, there would be 3% installation charges of total value and the traveling expenses and accommodation of our engineer / technician shall be borne by the buyer on actual. GST 18% is applicable on installation charges and other expenses. Installation would be done by our technician and placement of the equipment would be done by the buyer.

Stabilizer should be provided at the time of Installation of the Treadmill, else the Warranty of the Treadmill stands cancelled.

STABILIZER SPECIFICATION FOR TREADMILL : SINGLE PHASE SERVO TYPE AC 50 HZ AIR COOLED VOLTAGE STABILIZER INPUT VOLTAGE - 180 - 270 V OUTPUT VOLTAGE - 220 - 230 V CAPACITY – 5 KVA TYPE - U/V WITH O/V CUT OFF.

Prices are subject to change without notice.

All the dumbbells & weight plates might have the tolerance level (+/-) of 5% to 7% and it does not carry any warranty or guarantee.

- We reserve the right to change any designs and specifications when we feel the product will be improved.
- All the above are Ex-Factory prices
- Equipment are to be unloaded by the buyer at the delivery site.
- Any breakage, damage and pilferage in transit due to accident or any other reasons shall be borne by the buyer.
- Warranty repair, replacement or re-performance by us in respect of defective equipment shall not extend or renew the applicable warranty period.
- This warranty will not cover (a) any defects or malfunction in the equipment that result from the installation, storage, usage, operation and maintenance by the buyer or third persons, (b) equipment that have been repaired or modified by the buyer or any nonauthorized person or without following our instructions regarding maintenance, (c) normal wear and tear of the product, (d) any loss, personal injury, damage in property caused by installation, storage, usage, operation and maintenance of the equipment by the buyer or third parties or (e) any damage or defects in the equipment that result from fortuitous facts and force majeure. We reserve the right to cancel the order or any part thereof if a stoppage at our factory occurs due to fire, strikes, lockout, force majeure or from any other cause or cases beyond our control or from any cause or causes due to acts or demands of the Government or
- as a consequence of war or our break of hostilities. Our authorized representatives shall be allowed to inspect the site of delivery at any stage.
- 10
- All items manufactured by us according to our blueprints, drawings, designs, manufacturing data, specifications or information pertaining to therein furnished to the buyer by us shall not be utilized by the buyer or anyone on his behalf for sale, manufacture or for 11 ny other purpose save as agreed by seller in writing
- any other purpose save as agreed by seller in writing. If the equipment do not meet the conditions set out herein, and the buyer requires the defective/ damaged equipment, to be repaired or replaced, then we may, at our option repair or replace the equipment, costs for which shall be borne by the buyer. 12

13 Equipment rejected / cancelled / delayed for any reason in terms of this contract will remain at our premises at buyer's risk and cost.

- Equipment covered by this order shall be duly insured by the buyer.
- 15 Any terms and conditions rescinding, adding to or altering the terms of this order subsequently shall always be in writing. All such additions, alterations or deletions shall be deemed to be incorporated herein and made part of this order.
- 16 In the event of any breach of this contract on the part of the buyer, the buyer agrees to compensate in such manner as may be reasonably determined.
- 17 It is agreed that any dispute arising in respect of this order shall be decided by a competent Court in Mumbai Jurisdiction.
- The Prices & Taxes mentioned in quotation are indicative and valid for 15 days from the date of quotation. In all other cases Prices & Taxes prevailing at the time of delivery will be applicable. 18
- 19
- Transportation charges, service charges and any other levies, local taxes as mentioned in a Quotation are indicative and same may vary as per actual charges incurred at the time of delivery. The company shall not be liable for any delay in delivery of equipment due to strike, riot, civil commotion, accident, machinery breakdown resulting in production delay, government policies, acts of God and nature, pandemic and all events beyond the control of 20 the Company. Please send us your Purchase Order in favor of JFPL based on PI / Quotation dully filled & signed along with copy of your PAN Card & GST Number, Billing Address & Delivery Address for execution of your order at our end. 21

Thanking you and assuring you of our best services at all times.

Yours sincerely,

For Jerai Fitness Pvt. Ltd.,

Accepted & Confirmed By: